

THE EFFICIENT ALL-ROUNDER FOR YOUR OFFICE.

HERE'S WHAT'S HIDDEN 'UNDER THE HOOD' OF YOUR NEW 261ci: FUNCTIONS LIKE COPYING, PRINTING, SCANNING (EITHER IN COLOUR OR BLACK & WHITE) AND EVEN FAXING ARE COMBINED IN ONE SINGLE A4 COLOUR MFP, SAVING SPACE AND ENSURING EFFICIENT, LOW-COST OPERATION. START PRINTING TODAY WITH YOUR NEW 261ci.



Consumables, which last a long time and do not have to be replaced as frequently, save you both money and resources.



Extremely user friendly: The colour control panel speaks for itself and can be custom configured.



The multi-bypass and optional multi-purpose cassette make it possible to work with all types of print media.



HIGHLIGHTS:



Economy: Consumables for the 261ci are long-lasting, thereby reducing the strain on your budget and your use of resources. After all, lower costs mean greater savings.



Quality and productivity: Printing and copying at a rate of 26 A4 pages per minute in colour and black & white helps deliver fast, high-quality results. Documents can be sent at speeds of up to 35 A4 pages per minute to a computer or e-mail address in the blink of an eye. Simply practical.



Customised functionality: You can easily integrate optional software solutions into the network, such as Scan2OCR for creating text searchable documents and Follow-Me-Printing, all thanks to the HyPAS interface – ideal for optimised, time-saving workflows.



Flexibility: Intelligent, full-feature paper handling is guaranteed thanks to the automatic original feeder and the duplex unit for double-sided, paper saving printing. What's more, a maximum paper capacity of up to 1,300 sheets allows you to quickly complete large print jobs. The option of using many different forms of media means you are free to be creative. Whether printing index cards, labels or letter-heads, almost anything is possible.

DIGITAL 
MULTIFUNCTIONAL COLOUR SYSTEM

261ci

Copy / Print / Scan / Fax

A4

General		Print system		Fax system	
Type	Desktop	Type	Integrated within the system	Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi)
Function	Copy, print, scan, fax	Print format	A6R-A4	Fax memory	4 MB (3.5 MB image buffer)
Print technology	Laser colour and b/w	Print resolution	600 x 600 dpi	Abbreviated dial	200 numbers
Original format	max A4 from platen glass	Processor	PowerPC 465S/667 MHz	One touch dial	100 numbers
Original feeder	50 sheet A4 (standard), 50-120 g/m ² (simplex), 50-110 g/m ² (duplex)	Interfaces	USB 2.0, 10/100/1000BaseTX, USB host (2), SD slot	Group dial	50 numbers
Copy/print speed	max 26 A4 pages/min and duplex: max 13 A4 pages/min in colour and b/w	Network protocols	TCP/IP, Net BEUI	Operating systems	Windows XP, Vista, Windows 7/8/8.1, Server 2003/2008 R2/2012 R2
1st page	Colour: 12 seconds, b/w: 10 seconds (copy)*, colour: 10.5 seconds, b/w: 9 seconds (print)*	Operating systems	Windows XP, Vista, Windows 7/8/8.1, Server 2003/2008 R2/2012 R2, Novell NetWare, Linux, Mac ex OS 10.5	Functions	Network fax driver, automatic redialling, delayed transmission
Warm-up time	29 seconds	Emulations	PCL6 (PCL 5c, XL), KPDL 3 (PostScript 3 compatible), PRESCRIBE IIc, PDF 1.7, XPS	Options	
Copy resolution	600 x 600 dpi	Functions	Colour Optimiser, USB direct printing, printing of e-mails, private printing, barcode printing, WSD/internet printing, Mobile Print (Android/iOS)/AirPrint™	Paper feed	max 2 x PF-520 (500 sheet universal cassette [A5R-A4, 60-163 g/m ²]), max 2 x PF-530 (500 sheet multi-purpose cassette [A5R-A4, 60-220 g/m ²])
Greyscales	256	Scan system		Other options	Card authentication kit (B), Card reader holder (D), UG-33 ThinPrint® kit, IB-50 Gigabit Ethernet card, IB-51 WLAN card, HD-6 SSD (32 GB), HD-7 SSD (128 GB), cabinet no. 61
Paper feed	1 x 250 sheet universal cassette (A6R-A4), 50 sheet multi-bypass (A6R-A4 [min 70 x 148 mm, max 216 x 356 mm])	Scan type	CCD colour and b/w	* Depending on operating status.	
Paper weights	Universal cassette 60-163 g/m ² , multi-bypass 60-220 g/m ² , duplex 60-163 g/m ²	Scan format	max A4	To enable HyPAS functionality additional memory is required.	
Paper output	150 sheet A4	Scan speed	Colour: max 25/15 A4 originals/min (simplex/duplex) with 300 dpi, b/w: max 35/21 A4 originals/min (simplex/duplex) with 300 dpi	Specifications subject to change without notice.	
System memory	1,024 MB RAM, 2,048 MB RAM	Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi	Image shows machine with optional accessories.	
Continuous copying	1-999 copies	Scan mode	Photo, text, photo/text, OCR	The 261ci is manufactured in accordance with the requirements of the Energy Star Program.	
Zoom	25%-400% in steps of 1 %	File types	TIFF, JPEG, XPS, PDF (1.4/A), high compression PDF		
Functions	Colour touch screen, duplex, job reservation, 20 favourites, scan once - copy many, continuous scan, N-up, 100 management codes incl. 20 easy log-ins	Interfaces	10/100/1000BaseTX, USB 2.0		
Dimensions/Weight		Network protocol	TCP/IP		
Dimensions	603 x 514 x 550 mm (H x W x D)	Operating systems	Windows XP, Vista, Windows 7/8/8.1, Server 2003/2008 R2/2012 R2		
Weight	approx. 38.7 kg	Functions	Scan to SMB, Scan to e-mail, Scan to FTP, Scan to USB, TWAIN scan, WIA scan (Windows Vista, Windows 7, Server 2008 R2), SMTP authentication, LDAP		
Environment		Fax system			
Mains voltage	220/240 V, 50/60 Hz	Compatibility	Super G3		
Power consumption	approx. 1,185 W max., approx. 445 W in operation, approx. 79 W in stand-by mode, approx. 3 W in sleep mode	Original format	max A4		
Noise level	approx. 50 dB(A) in operation, approx. 30 dB(A) in stand-by mode (ISO 7779/9296)	Modem speed	33.6 kbps		
Safety	GS/TÜV, CE	Transmission speed	3 seconds or less using JBIG		
		Compression method	JBIG, MMR, MR, MH		

UTAX GmbH has been a trade mark for professional office technology since 1961. As the partner of a German wide dealer network and international distribution, we are specialised in the distribution and integration of printing, copying and multifunctional systems in corporate IT and public sector, amongst others.

With the MDS solution UTAX smart for example, output systems can be controlled regardless of the manufacturer and the infrastructure can be optimised in line with demands.

UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trade marks of UTAX GmbH. All other brand names referred to are registered trade marks of the respective manufacturers.



Your UTAX dealer

